

Foam Proportioning

Fixed System Foam Inductors



SAFETY INDUSTRIES

Pty Limited




MADE IN AUSTRALIA

Specifications

50mm MODELS (standard models)

Model #	Flow @ 1000 kPa	Proportioning
PR-20	200 lpm	Fixed or Variable
PR-40	400 lpm	Fixed or Variable
PR-60	600 lpm	Fixed



DIMENSIONS

Length	280mm
Height	185mm
Width	150mm
Weight	5.3kg

ORION SAFETY INDUSTRIES PTY LIMITED

A.C.N. 002 538 696


Tel (61) 2 9821 2244 29 SHEPHERD STREET LIVERPOOL NSW 2170 FAX (61) 2 9821 2906 AUSTRALIA

65mm Line Proportioners (standard models)

Model #	Flow @ 1000 kPa	Proportioning
PR-80	1000 lpm	Fixed (1%, 3% or 6%)
PR-100	1000 lpm	Fixed
PR-120	1200 lpm	Fixed
PR-140	1400 lpm	Fixed
PR-160	1600 lpm	Fixed
PR-180	1800 lpm	Fixed

80mm Line Proportioners (standard models)

Model #	Flow @ 1000 kPa	Proportioning
PR-200	2000 lpm	Fixed (1%, 3% or 6%)
PR-220	2200 lpm	Fixed
PR-240	2400 lpm	Fixed
PR-260	2600 lpm	Fixed
PR-280	2800 lpm	Fixed



65mm and 80mm Line Proportioners

DIMENSIONS	65mm Body:	80mm Body
A:	350mm	405mm
B:	95mm	105mm
C:	25mm BSP Female	32mm BSP Female
D:	65mm BSP Male	80mm BSP Male
E:	67.5mm	71.5mm
F:	65mm BSP Female	80mm BSP Female
Weight:	6kg	8kg


Between Flange Models (Wafer Type)

Model #	Flow Range	Body Size
BFP-100	2,000 to 5,000 lpm	100mm
BFP-150	3,400 to 10,000 lpm	150mm

ORION SAFETY INDUSTRIES PTY LIMITED

A.C.N. 002 538 696

Tel (61) 2 9821 2244 29 SHEPHERD STREET LIVERPOOL NSW 2170 FAX (61) 2 9821 2906 AUSTRALIA



Wafer Type Proportioners

DIMENSIONS	BFP-100	BFP-150
A:	160mm	212mm
B:	380mm	540mm
C:	100mm	152mm
D:	75mm	85mm
E:	40mm BSP Female	50mm BSP Female

ORION SAFETY INDUSTRIES PTY LIMITED

A.C.N. 002 538 696

Tel (61) 2 9821 2244 29 SHEPHERD STREET LIVERPOOL NSW 2170 FAX (61) 2 9821 2906
AUSTRALIA